

Instant Analyses in **AFNI** and **SUMA**: Clusters and Correlations

Data for this presentation:
AFNI_data5/ directory

All data herein
from Alex Martin,
et al. [NIMH IRP]




AFNI! “**Insta**” Functions

- 3 new capabilities added to the interactive AFNI
- Each one: compute new dataset volumes **instan**tly to replace the Overlay volume for image viewing
- **Clusters** = interactive clustering
 - ★ remove clusters below a user-chosen size
 - ★ display a table of clusters
- **InstaCorr** = interactive exploration of inter-voxel time series correlation
 - ★ choose a seed voxel and see correlation map
 - ★ SUMA version also exists
- **InstaCalc** = interactive version of **3dcalc**
 - ★ e.g., display ratio of 2 datasets

AFNI Clusters: Setup

- Open **Define Overlay**, choose **Clusters** from menu in top right corner



- Then press **Clusterize** to get the clusters control menu


Clusters Control Menu

Operates on user's chosen **Overlay** dataset at the user's threshold;
 Next slide example: **AFNI_ICOR_sample**

Default: NN clustering


Default: 20 voxel minimum cluster size

Clustering is done in 3D



Press one of these buttons to create clustered volume for display as new **Overlay**

Clusters Results



No clustering

Cluster report window

Voxels survived clustering = 83470
 Voxels edited out = 1759
 Min cluster size (voxels) = 20
 Max cluster size = 75881
 Number of clusters kept = 53


#39 xyz Peak 3dclust SaveTable Clust SaveMask Done

flux Dataset From 0 To 99999 Mean

[No Auxiliary Dataset selected yet]


1: 75881 vox	-41.0	-81.6	+29.7	Jump	Flash	Plot	Save
2: 1223 vox	+38.1	-16.2	+56.7	Jump	Flash	Plot	Save
3: 1148 vox	-66.8	-71.2	+17.7	Jump	Flash	Plot	Save
4: 781 vox	+43.2	+19.9	+32.7	Jump	Flash	Plot	Save
5: 571 vox	+31.2	-57.5	+50.7	Jump	Flash	Plot	Save
6: 549 vox	+50.1	+9.5	+11.7	Jump	Flash	Plot	Save

Jump: crosshairs move
Flash: colors on & off



With clustering

AFNI! InstaCorr




- On-the-fly **instantaneous correlation** map of resting state data with interactively selected seed voxel
- **Setup phase**: prepares data for correlations (several-to-10+ seconds)
- **Correlation phase**: you select seed voxel, correlation map appears by *magic*

InstaCorr: Outline of 2 Phases

- **Setup phase:**
 - ★ Masking: user-selected *or* Automask
 - ★ Bandpass and other filtering of voxel time series
 - ★ Blurring inside mask = the slowest part
- **Correlation phase:**
 - ★ Correlate selected seed voxel time series with all other prepared voxel time series
 - ★ Make new dataset, if needed, to store results
 - ★ Save seed time series for graphing
 - ★ Redisplay color overlay
 - ★ Optional: compute FDR curve for correlations
 - Calculation is slow, so FDR is not turned on by default


InstaCorr: Setup

- Open **Define Overlay**, choose **InstaCorr** from menu in top right corner




InstaCorr: Setup

- Open **Define Overlay**, choose **InstaCorr** from menu in top right corner




- Then press **Setup ICorr** button to get control panel

InstaCorr: Setup



- Mostly self-explanatory (I hope) — cf. **Help**
- **Global Orts** = extra time series to be projected out of dataset before correlation
 - ★ All columns in selected 1D file
 - ★ e.g., movement parameters
 - ★ The first **Ignore** rows (time points) will be skipped
- When ready, press one of the **Setup** buttons

InstaCorr: Setup



- Text output to shell window details the setup procedures:


```

++ InstaCorr preparations:
+ Automask from
  '/Users/rwcox/data/Resting/ZSS/s620/s620_rest_r1+orig.BRIK' has
  197234 voxels
+ Extracting dataset time series
+ Filtering 197234 dataset time series
+ bandpass: ntime=139 nFFT=160 dt=3.5 dFreq=0.00178571
  Nyquist=0.142857 passband indexes=6..56
+ Spatially blurring 139 dataset volumes
+ Normalizing dataset time series
++ InstaCorr setup: 197234 voxels ready for work: 15.43 sec
  
```

Dataset being analyzed


Most of the CPU time:
Uses BlurInMask

InstaCorr: The Fun Part




- In image viewer, set crosshairs to desired seed voxel
- **Right-click** popup menu → **InstaCorr Set**
 - ★ Creates new dataset **A_ICOR** for Overlay
- **Shortcut: Shift+Ctrl+Left-click** sets new crosshair location, then does **InstaCorr Set**
- **InstaCorr SeedJump** jumps focus to current seed

InstaCorr: The Fun Part




- In graph window:
 - ★ Set Ignore with **FIM**→Ignore menu (or **I** key)
 - ★ Set seed overlay with **FIM**→Pick Ideal menu
- When you change seed voxel, saved overlay time series will change (but you have to refresh graph to see it)

InstaCorr: Effects of Blurring




- Is this a pure vascular/cardiac effect being progressively smeared? Or real neural correlations seen via BOLD? Or some of both? *Venograms?*
 - ★ Dataset was RETROICOR-ized; mask is whole brain

InstaCorr: Effects of Blurring



- Similar calculations, but with FreeSurfer-generated gray matter mask instead of Automask from EPI data
 - ★ Blurring is done only inside the mask (**3dBlurInMask**)
 - Using a discrete PDE-based iterative approach


InstaCorr: SVD-based “Blurring”




- Similar calculations, with Automask from EPI data, using **3dLocalSVD** over 5 mm radius sphere (67 voxels)
 - ★ Project each vector onto 2-dim principal subspace
 - ★ Far too slow to calculate interactively (at this time)

InstaCorr: SVD-based “Blurring”

Gaussian 5mm



3dLocalSVD 5mm



- Volume rendering of InstaCorr maps (threshold at $r=0.5$)
 - ★ Renderer updates automatically if **DynaDraw** is on
- SVD smoothing has cleaner spatial structure?
 - ★ Or has it lost some information? *I don't know.*

InstaCorr: Options and Plans

- Underlay doesn't have to be EPI data; could be anat
 - ★ Can use InstaCorr in multiple AFNI controllers
- FDR: `setenv AFNI_INSTACORR_FDR YES`
 - ★ Will slow things down by a significant factor
- Saving `A_ICOR` dataset: overwrites previous copies

- Future Possibilities:
 - ★ Select ROI-based Orts to be detrended?
 - Based on ROIs from FreeSurfer or atlases?
 - ★ Or multiple seeds (partial + multiple correlations)?
 - ★ Interactive local SVD “smoothing”? (needs speedup)
 - ★ Group analysis InstaCorr (in standardized space)
 - Not quite “Insta” any more; $\approx 0.1 \times \#Subjects$ sec per seed
 - External script to do subject setups?
 - ★ Use time series subsets? (*e.g.*, for block design data)

Group InstaCorr

- If you have a robust enough system (multiple CPUs, several gigabytes of RAM), you can do interactive group analysis of resting state seed-based correlation
- **Setup Phase:**
 - ★ Unlike individual InstaCorr, the setup is done outside the AFNI GUI with command line programs
 - ★ Step 1: transform all time series datasets to standard space = `@auto_tlrc` and `adwarp`
 - ★ Step 2: filter and blur all time series dataset = `3dBandpass`
 - ★ Step 3: collect groups of time series datasets into one big file = `3dSetupGroupInCorr`
- **Interactive Phase:** point-and-click to set seed voxel

31 Dec 2009

GroupInCorr: Setup #1

- Assume datasets are named as follows:
 - ★ T1-weighted anatomical = `sXXX_anat+orig`
 - ★ Resting state EPI = `sXXX_rest+orig`
- ```
foreach fred (s*_anat+orig.HEAD)
 set sub = `basename $fred _anat+orig.HEAD`
 # transform anat to MNI space
 @auto_tlrc -base ~/abin/MNI_avg152T1+tlrc.HEAD -input $fred
 # transform EPI to MNI as well (assume anat & EPI are aligned)
 adwarp -apar ${sub}_anat+tlrc.HEAD -dpar \
 ${sub}_rest+orig.HEAD -resam Cu -dxyz 2.0
 # make individual subject mask
 3dAutomask -dilate 1 -prefix ${sub}_amask \
 ${sub}_rest+tlrc.HEAD
end

Combine individual EPI masks into group mask
3dMean -sum -nscale -prefix ALL_amask *_amask+tlrc.HEAD
```

## GroupInCorr: Setup #2

- Bandpass and blur each dataset inside mask
  - ★ skip first 4 time points, and remove global signal
  - ★ of course, you can choose your own options for filtering
    - Can have 1 voxel-dependent time series to detrend, via `-dsort`

```
foreach fred (s*_rest+tlrc.HEAD)
 set sub = `basename $fred _rest+tlrc.HEAD`
 # create global signal file here
 3dmaskave -mask ALL_amask+tlrc -quiet \
 $fred'[4..$]' > ${sub}_GS.1D
 # 3dBandpass does blurring, filtering, and detrending
 3dBandpass -mask ALL_amask+tlrc -blur 6.0 \
 -band 0.01 0.10 -prefix ${sub}_BP \
 -input $fred -ort ${sub}_GS.1D
end
```

## GroupInCorr: Setup #3

- `3dSetupGroupInCorr` reads all filtered & blurred resting state EPI datasets, masks & normalizes them, and writes them to one big file for `3dGroupInCorr`
  - ★ Sample below: 2 groups of subjects

```
set AAA = (s601 s604 ... s644 s646)
set BBB = (s611 s612 ... s652 s654)
set ggg = ()
foreach fred ($AAA)
 set ggg = ($ggg ${fred}_BP+tlrc.HEAD)
end
3dSetupGroupInCorr -mask ALL_amask+tlrc -prefix AAA $ggg
set ggg = ()
foreach fred ($BBB)
 set ggg = ($ggg ${fred}_BP+tlrc.HEAD)
end
3dSetupGroupInCorr -mask ALL_amask+tlrc -prefix BBB $ggg
```

## GroupInCorr: Interactive Phase

- Start server program (2 sample *t*-test here):
 


```
3dGroupInCorr -setA AAA.grpincorr.niml \
 -setB BBB.grpincorr.niml -verb
```

  - Startup takes a little while, as all data must be read into RAM (in this example, 3.2 Gbytes)
  - After data is read, connect to AFNI using a NIML socket
  - Server will use multiple CPUs if compiled with OpenMP (currently on Mac OS X 10.5 and 10.6)
- In a separate text window, start AFNI:
 

```
afni -niml
```

  - Then open the **Define Datamode** control panel

## GrpInCorr: Interactive Results



Seed voxel →


- Use same buttons as individual subject InstaCorr to set seed
- Use **Setup GICorr** panel to set the few options available interactively
  - ★ **SeedRad** = extra smoothing for seed voxel time series
  - ★ **Cluster** = min number of voxels to keep above thresh

## GrpInCorr: Caveats

- You can do a 1-sample t-test (`-setA` only) or a 2-sample t-test (`-setA` and `-setB`)
  - ★ But not both at the same time
- Sometimes AFNI drops the shared memory connection to `3dGroupInCorr`
  - ★ Due to unknown bugs somewhere
  - ★ If this gets bad, use the `-NOshm` option to `3dGroupInCorr` to force it to use TCP/IP = slower data transfer but more reliable
- Brand new software = rough around the edges, and need *constructive* feedback

## InstaCalc: Dataset Calculator


- Open **Define Overlay**, choose **InstaCalc** from menu in top right corner



- Then press **Setup ICalc** button to get control panel

## InstaCalc: Setup

- Select datasets with **Choose Dataset** buttons  
★ and sub-bricks with the [-] controls
- Enter symbolic expression
- Press **Compute InstaCalc**
- Creates new 1-brick dataset **A\_ICALC** for Overlay  
★ voxel-by-voxel calculations




## InstaCorr

- Similar in concept to AFNI **InstaCorr** but requires some external pre-processing of time series datasets  
★ Removal of baseline, projection to surface, blurring
- In the **AFNI\_data5/** directory, run the script  
***tcsh ./@run\_REST\_demo***
  - ★ starts SUMA with 2 hemispheres
  - ★ loads pre-processed datasets into SUMA
  - ★ sets up SUMA's **InstaCorr**
- After all the setup is ready, right-clicking on the surface will do the **InstaCorr** calculations





# InstaCorr: Sample



• Seed voxel and Seed voxel time series graph